## INFRA -RED SPECTERSCOPY OF IN- CERA M CROWN CEMENTED USING THREE DIFFERENT ADHESIVE CEMENTS

Mohamed Mahmoud EI-Hosary\*, Adel Mohei El Din El Khodary\*\* and

Tamer EL Hamy shokry\*\*\*

## ABSTRACT:

Ceramics have been used for Dental restorations for a long time due to their outstanding esthetics and availability of higher strength. The in-ceram uses alumina core which is intiltrated with glass in the second tiring and then the core is veneered with conventional porcelaip. Adhesive luting agents could provide a clinical benefit in the reduction of Micro-leakage. Also the resin cements were widely used for bonding all ceramic restorations.

The aim of this study was to evaluate the bonding and micro-leakage of the cement In-ceram and cement dentin interfaces using three different bondin<sup>g</sup> cements to determine the nature of bonding.

The results of this study indicatid that there was an evidence of a chemical reactein between the adhesive cements used in this study with In-cerm and dentin interface The resin cement used showed chemical reaction with In-ceram. In comparing chemical reaction of different luting cement used in this study with dentin it can be concluded that the chemical reaction is not the only factor affecting bonding and microleakage.

\*Associate professor, acting chairman of crown and fixed prosthodontics. Faculty of dental medicine AI-AzhaI' university.

\*\* Professor of Bio- materials Faculty of oral and dental medicine. Cairo University.

\*\*\*Demonstrator of crown and fixed prosthodonties department, Faculty of dental medicine AI-Azhar University.